

Date printed 28.11.2019, Revision 27.11.2019

Version 04. Supersedes version: 03 Page 1 / 10

1.1	Product identifier	
		Injektionsmörtel VMU plus, Comp. B Article number: 0911003330B
.2	Relevant identified uses of t	he substance or mixture and uses advised against
.2.1	Relevant uses	
		Adhesive mortar for fastening to concrete elements B-Component (Hardener)
.2.2	2 Uses advised against	
	-	None known.
.3	Details of the supplier of the	safety data sheet
	Company	Kellner & Kunz AG Boschstr. 37 4600 Wels / AUSTRIA Phone 0043-7242-484-0 Fax 0043-7242-484-924 Homepage www.reca.co.at E-mail info@reca.co.at
	Address enquiries to	
	Technical information	info@reca.co.at
	Safety Data Sheet	sdb@chemiebuero.de
.4	Emergency telephone numb	er
	Advisory body	+43 (0) 1 406 43 43 (24h)
SEC	TION 2: Hazards identification	n
2.1	Classification of the substar	nce or mixture [REGULATION (EC) No 1272/2008]
		Skin Sens. 1: H317 May cause an allergic skin reaction. Eye Irrit. 2: H319 Causes serious eye irritation.
2.2	Label elements	
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP)
	Hazard pictograms	
	Signal word	WARNING
	Contains:	Dibenzoyl peroxide
	Hazard statements	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
	Precautionary statements	P280 Wear protective gloves / eye protection / face protection. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local/national regulation.
	Other hazards	
2.3		
2.3	Environmental hazards	Does not contain any PBT or vPvB substances.

4600 Wels

Date printed 28.11.2019, Revision 27.11.2019

Version 04. Supersedes version: 03

Page 2 / 10

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
10 - <20	Dibenzoyl peroxide
	CAS: 94-36-0, EINECS/ELINCS: 202-327-6, EU-INDEX: 617-008-00-0, Reg-No.: 01-2119511472-50-XXXX
	GHS/CLP: Org. Perox. B: H241 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410,
	M_acute = 10, M_chronic = 10
1 - <5	Quartz (≤10µm)
	CAS: 14808-60-7, EINECS/ELINCS: 238-878-4
	GHS/CLP: STOT RE 1: H372

```
Comment on component parts
The quartz in this preparation is not available on foreseeable use.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.
```

SECTION 4: First aid measures

SECTION 5: Fire-fighting measures

4.1	Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

	0 0	
5.1	5.1 Extinguishing media	
	Suitable extinguishing media	Carbon dioxide. Dry powder. Water spray jet.
	Extinguishing media that must not be used	Full water jet Foam.
5.2	.2 Special hazards arising from the substance or mixture	
		In the event of fire the following can be released: Carbon monoxide (CO)
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues must be disposed of in accordance within the local regulations.

Date printed 28.11.2019, Revision 27.11.2019



Version 04. Supersedes version: 03

Page 3 / 10

.1	Personal precautions, protecti	ve equipment and emergency procedures
		Ensure adequate ventilation. Use personal protective equipment. High risk of slipping due to leakage/spillage of product. Keep away from all sources of ignition.
.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater. In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.
6.3	Methods and material for conta	ainment and cleaning up
		Take up mechanically. Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	CTION 7: Handling and storage	
7.1	Precautions for safe handling	
		Use only in well-ventilated areas. Avoid contact with eyes and skin.
		Keep away from all sources of ignition - Refrain from smoking.
		Take off contaminated clothing and wash before reuse. Do not eat, drink, smoke or take drugs at work. Wash hands before breaks and after work. Use barrier skin cream.
7.2	Conditions for safe storage, in	cluding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container in a well-ventilated place. Keep container tightly closed. Keep in a cool place. Store in a dry place. Store in a dark place. Protect from atmospheric moisture and water. Recommended storage temperature: 5-25 °C (41-77 °F).
7.3	Specific end use(s)	

Safety Data Sheet 1907/2006/EC - REACH (GB) Injektionsmörtel VMU plus, Comp. B Article number 0911003330B Kellner & Kunz AG

4600 Wels

Date printed 28.11.2019, Revision 27.11.2019



Version 04. Supersedes version: 03 Page

Page 4 / 10

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Dibenzoyl peroxide
CAS: 94-36-0, EINECS/ELINCS: 202-327-6, EU-INDEX: 617-008-00-0, Reg-No.: 01-2119511472-50-XXXX
Long-term exposure: 5 mg/m ³
Quartz (≤10µm)
CAS: 14808-60-7, EINECS/ELINCS: 238-878-4
Long-term exposure: 0,15 mg/m ³ , HSE, NIOSH, OSHA

DNEL

Dibenzoyl peroxide, CA	S: 94-36-0	
Industrial, dermal, Long	-term - systemic effects: 6,6 mg/kg bw/d.	
Industrial, inhalative, Lo	ng-term - systemic effects: 11,75 mg/m ³ .	
general population, oral	, Long-term - systemic effects: 1,65 mg/kg bw/d.	
general population, der	nal, Long-term - systemic effects: 3,3 mg/kg bw/d.	
general population, inha	lative, Long-term - systemic effects: 2,9 mg/m ³ .	

PNEC

Substance	
Dibenzoyl peroxide, CAS: 94-36-0	
oral (food), 6,67 mg/kg dw.	
soil, 0,0758 mg/kg dw.	
sediment (freshwater), 0,338 mg/kg dw.	
sewage treatment plants (STP), 0,35 mg/l.	
freshwater, 0,000602 mg/l.	
seawater, 0,0000602 mg/l.	

8.2 Exposure controls

0.2			
	Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the per requirements of DIN EN 482. For example, recommendations are given in the hazardous substances.	
	Eye protection	safety glasses (EN 166:2001)	
	Hand protection	The details concerned are recommendations. Please contact the glove supplies information. In splash contact: >0,2 mm Nitrile rubber, >120 min (EN 374-1/-2/-3). In full contact: >0,4 mm Butyl rubber, >480 min (EN 374-1/-2/-3).	er for further
	Skin protection	Protective clothing (EN 340)	
	Other	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working p depending on concentration and quantity handled. The resistance of this equip chemicals should be ascertained with the respective supplier.	
	Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate v appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)	ventilation: wear
	Thermal hazards	not applicable	
	Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or emissions.	or limit
www	.chemiebuero.de, Phone +49 (0)941-646	353-0, 191122	rer00230 GB
-			

Safety Data Sheet 1907/2006/EC - REACH (GB) Injektionsmörtel VMU plus, Comp. B Article number 0911003330B Kellner & Kunz AG

4600 Wels

Date printed 28.11.2019, Revision 27.11.2019

SECTION 9: Physical and chemical properties



Version 04. Supersedes version: 03

Page 5 / 10

9.1	Information on basic physical and	d chemical properties
	Form	pasty
	Color	black
	Odor	characteristic
	Odour threshold	No information available.
	pH-value	not applicable
	pH-value [1%]	not applicable
	Boiling point [°C]	No information available.
	Flash point [°C]	not applicable
	Flammability (solid, gas) [°C]	not applicable
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	Active oxygen content <1% No classification.
	Vapour pressure/gas pressure [kPa]	No information available.
	Density [g/ml]	1,59 (20°C)
	Bulk density [kg/m ³]	not applicable
	Solubility in water	insoluble
	Partition coefficient [n-octanol/water]	No information available.
	Viscosity	No information available.
	Relative vapour density determined in air	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Autoignition temperature [°C]	No information available.
	Decomposition temperature [°C]	No information available.
9.2	Other information	

9

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating. See SECTION 7.2.

10.5 Incompatible materials

Strong oxidizing agent.



Version 04. Supersedes version: 03 Page 6 / 10

4600 Wels

Date printed 28.11.2019, Revision 27.11.2019

10.6 Hazardous decomposition products

Benzoic acid. Benzene. Biphenyl.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product	
nhalative, Based on the available information, the classification criteria are not fulfilled.:	
lermal, Based on the available information, the classification criteria are not fulfilled.:	
ral, Based on the available information, the classification criteria are not fulfilled.:	

Substance
Dibenzoyl peroxide, CAS: 94-36-0
LD50, oral, Rat: 5700 mg/kg.

toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Serious eye damage/irritation	Based on the available information, the classification criteria are fulfilled. Toxicological data of complete product are not available. Irritant Calculation method
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are fulfilled. Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled. The contained dangerous materials are not freely available with foreseeable use.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The

Safety Data Sheet 1907/2006/EC - REACH (GB) Injektionsmörtel VMU plus, Comp. B Article number 0911003330B Kellner & Kunz AG 4600 Wels



Date printed 28.11.2019, Revision 27.11.2019

Version 04. Supersedes version: 03

Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:
LC50, Danio rerio: >500 mg/l.
EC50, (72h), Daphnia magna: >500 mg/l.
IC50, (72h), Desmodesmus subspicatus: 150 mg/l.

Substance	
Dibenzoyl peroxide, CAS: 94-36-0	
LC50, (96h), Oncorhynchus mykiss: 0,0602 mg/l (OECD 203).	
LC50, (96h), fish: 1,7-2,4 mg/l (OECD 203).	
EC50, (48h), Daphnia magna: 2,91 mg/l (OECD 202).	
EC50, (48h), Daphnia magna: 0,11 mg/l (OECD 202).	
EC50, (72h), Pseudokirchneriella subcapitata: 0,0711 mg/l (OECD 201).	
NOEC, (48h), Daphnia magna: 1,99 mg/l.	

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification due to toxicological investigations.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials. Do not discharge product unmonitored into the environment.



Version 04. Supersedes version: 03

Page 8 / 10

SECTION 13: Disposal considerations

Date printed 28.11.2019, Revision 27.11.2019

13.1 Waste treatment methods

Draduat

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Coordinate disposal with the disposal contractor/authorities if necessary.
	Waste no. (recommended)	080409*
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* 150102
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable



Date i	orinted	28.11	2019	Revision	27.	11.2019

Version 04. Supersedes version: 03 Page 9 / 10

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Deleveration of the OFOTION of	

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information	
15.1 Safety, health and environmental	regulations/legislation specific for the substance or mixture
EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for young people. Observe employment restrictions for mothers-to-be and nursing mothers.
- VOC (2010/75/CE)	4,3% (DIN EN ISO 11890-2)

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H241 Heating may cause a fire or explosion.



Date printed 28.11.2019, Revision 27.11.2019

Version 04. Supersedes version: 03

Page 10 / 10

16.2	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
		RID = Règlement concernant le transport international ferroviaire de marchandises
		dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par
		voie de navigation intérieure
		ATE = acute toxicity estimate
		CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging
		DMEL = Derived Minimum Effect Level
		DNEL = Derived No Effect Level
		EC50 = Median effective concentration ECB = European Chemicals Bureau
		EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances
		ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
		IC50 = Inhibition concentration, 50%
		IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50%
		LD50 = Median lethal dose
		LC0 = lethal concentration, 0%
		LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships
		NOAEL = No Observed Adverse Effect Level
		NOEC = No Observed Effect Concentration
		PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
		STP = Sewage Treatment Plant
		TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit
		VOC = Volatile Organic Compounds
		vPvB = very Persistent and very Bioaccumulative
16.3	Other information	
10.0	Classification procedure	Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
		Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)
	Modified position	SECTION 4 been added: Do not induce vomiting.
		SECTION 8 been added: In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.
		SECTION 8 deleted: If ventilation is insufficient, wear respiratory protection.
		SECTION 8 deleted: Nitrile rubber, >120 min (EN 374-1/-2/-3).
		SECTION 9 deleted: No information available.
		SECTION 9 been added: not applicable
		SECTION 9 deleted:
		SECTION 10 been added: Biphenyl.
		SECTION 10 been added: Benzene.
		SECTION 10 been added: Benzoic acid.
		SECTION 10 deleted: No hazardous decomposition products known.

Copyright: Chemiebüro®