



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**VM-Winter, Comp. B**  
**Article number: 0911020420B**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Adhesive mortar for fastening to concrete elements B-Component (Hardener)

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

<b>Company</b>	Kellner & Kunz AG Boschstr. 37 4600 Wels / AUSTRIA Phone 0043-7242-484-0 Fax 0043-7242-484-924 Homepage www.reca.co.at E-mail info@reca.co.at
----------------	---

#### Address enquiries to

<b>Technical information</b>	info@reca.co.at
<b>Safety Data Sheet</b>	sdb@chemiebuero.de

### 1.4 Emergency telephone number

<b>Advisory body</b>	+43 (0) 1 406 43 43 (24h)
----------------------	---------------------------

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Skin Sens. 1: H317 May cause an allergic skin reaction.  
 Eye Irrit. 2: H319 Causes serious eye irritation.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

#### Hazard pictograms



#### Signal word

WARNING

#### Contains:

Dibenzoyl peroxide

#### Hazard statements

H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.

#### Precautionary statements

P280 Wear protective gloves / eye protection / face protection.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container in accordance with local/national regulation.

### 2.3 Other hazards

#### Environmental hazards

Does not contain any PBT or vPvB substances.

#### Other hazards

Further hazards were not determined with the current level of knowledge.



### SECTION 3: Composition / Information on ingredients

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
10 - <20	Dibenzoyl peroxide CAS: 94-36-0, EINECS/ELINCS: 202-327-6, EU-INDEX: 617-008-00-0, Reg-No.: 01-2119511472-50-XXXX GHS/CLP: Org. Perox. B: H241 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M_acute = 10, M_chronic = 10
1 - <5	Quartz ( $\leq 10\mu\text{m}$ ) CAS: 14808-60-7, EINECS/ELINCS: 238-878-4 GHS/CLP: STOT RE 1: H372

#### Comment on component parts

The quartz in this preparation is not available on foreseeable use.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions  
Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Carbon dioxide. Dry powder. Water spray jet.
<b>Extinguishing media that must not be used</b>	Full water jet Foam.

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:  
Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Fire residues must be disposed of in accordance within the local regulations.



## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Use personal protective equipment.  
High risk of slipping due to leakage/spillage of product.  
Keep away from all sources of ignition.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.  
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Avoid contact with eyes and skin.  
Keep away from all sources of ignition - Refrain from smoking.  
Take off contaminated clothing and wash before reuse.  
Do not eat, drink, smoke or take drugs at work.  
Wash hands before breaks and after work.  
Use barrier skin cream.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Keep in a cool place. Store in a dry place.  
Store in a dark place.  
Protect from atmospheric moisture and water.  
Recommended storage temperature: 5-25 °C (41-77 °F).

### 7.3 Specific end use(s)

See product use, SECTION 1.2



## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Dibenzoyl peroxide
CAS: 94-36-0, EINECS/ELINCS: 202-327-6, EU-INDEX: 617-008-00-0, Reg-No.: 01-2119511472-50-XXXX
Long-term exposure: 5 mg/m <sup>3</sup>
Quartz (≤10µm)
CAS: 14808-60-7, EINECS/ELINCS: 238-878-4
Long-term exposure: 0,15 mg/m <sup>3</sup> , HSE, NIOSH, OSHA

#### DNEL

Substance
Dibenzoyl peroxide, CAS: 94-36-0
Industrial, dermal, Long-term - systemic effects: 6,6 mg/kg bw/d.
Industrial, inhalative, Long-term - systemic effects: 11,75 mg/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 1,65 mg/kg bw/d.
general population, dermal, Long-term - systemic effects: 3,3 mg/kg bw/d.
general population, inhalative, Long-term - systemic effects: 2,9 mg/m <sup>3</sup> .

#### PNEC

Substance
Dibenzoyl peroxide, CAS: 94-36-0
oral (food), 6,67 mg/kg dw.
soil, 0,0758 mg/kg dw.
sediment (freshwater), 0,338 mg/kg dw.
sewage treatment plants (STP), 0,35 mg/l.
freshwater, 0,000602 mg/l.
seawater, 0,0000602 mg/l.

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	safety glasses (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. In splash contact: >0,2 mm Nitrile rubber, >120 min (EN 374-1/-2/-3). In full contact: >0,4 mm Butyl rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.



## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	pasty
<b>Color</b>	black
<b>Odor</b>	characteristic
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	not applicable
<b>Flammability (solid, gas) [°C]</b>	not applicable
<b>Lower explosion limit</b>	No information available.
<b>Upper explosion limit</b>	No information available.
<b>Oxidising properties</b>	Active oxygen content <1% No classification.
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/ml]</b>	1,59 (20°C)
<b>Bulk density [kg/m<sup>3</sup>]</b>	not applicable
<b>Solubility in water</b>	insoluble
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Relative vapour density determined in air</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Autoignition temperature [°C]</b>	No information available.
<b>Decomposition temperature [°C]</b>	No information available.

### 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.  
See SECTION 7.2.

### 10.5 Incompatible materials

Strong oxidizing agent.



## 10.6 Hazardous decomposition products

Benzoic acid.  
Benzene.  
Biphenyl.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:
Substance
Dibenzoyl peroxide, CAS: 94-36-0
LD50, oral, Rat: 5700 mg/kg.

#### Serious eye damage/irritation

Based on the available information, the classification criteria are fulfilled.  
Toxicological data of complete product are not available.  
Irritant  
Calculation method

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

#### Respiratory or skin sensitisation

Based on the available information, the classification criteria are fulfilled.  
Toxicological data of complete product are not available.  
May cause an allergic skin reaction.  
Calculation method

#### Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

#### Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.  
The contained dangerous materials are not freely available with foreseeable use.

#### Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

#### Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

#### Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

#### Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

#### General remarks

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:
LC50, Danio rerio: >500 mg/l.
EC50, (72h), Daphnia magna: >500 mg/l.
IC50, (72h), Desmodesmus subspicatus: 150 mg/l.
Substance
Dibenzoyl peroxide, CAS: 94-36-0
LC50, (96h), Oncorhynchus mykiss: 0,0602 mg/l (OECD 203).
LC50, (96h), fish: 1,7-2,4 mg/l (OECD 203).
EC50, (48h), Daphnia magna: 2,91 mg/l (OECD 202).
EC50, (48h), Daphnia magna: 0,11 mg/l (OECD 202).
EC50, (72h), Pseudokirchneriella subcapitata: 0,0711 mg/l (OECD 201).
NOEC, (48h), Daphnia magna: 1,99 mg/l.

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	No information available.
<b>Biological degradability</b>	No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

No classification due to toxicological investigations.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Do not discharge product unmonitored into the environment.



## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Coordinate disposal with the disposal contractor/authorities if necessary.

**Waste no. (recommended)** 080409\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150110\*  
150102

## SECTION 14: Transport information

### 14.1 UN number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

### 14.2 UN proper shipping name

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable



**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people Observe employment restrictions for young people.  
Observe employment restrictions for mothers-to-be and nursing mothers.

- VOC (2010/75/CE) 4,3% (DIN EN ISO 11890-2)

**15.2 Chemical safety assessment**

not applicable

**SECTION 16: Other information****16.1 Hazard statements (SECTION 03)**

H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.  
H400 Very toxic to aquatic life.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H241 Heating may cause a fire or explosion.



## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)  
 Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

### Modified position

SECTION 4 been added: Do not induce vomiting.  
 SECTION 8 been added: In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.  
 SECTION 8 deleted: If ventilation is insufficient, wear respiratory protection.  
 SECTION 8 deleted: Nitrile rubber, >120 min (EN 374-1/-2/-3).  
 SECTION 9 deleted: No information available.  
 SECTION 9 been added: not applicable  
 SECTION 9 deleted:  
 SECTION 10 been added: Biphenyl.  
 SECTION 10 been added: Benzene.  
 SECTION 10 been added: Benzoic acid.  
 SECTION 10 deleted: No hazardous decomposition products known.

Copyright: Chemiebüro®